



**DEPARTMENT OF PUBLIC HEALTH AND SOCIAL SERVICES
DIVISION OF ENVIRONMENTAL HEALTH
CHILD CARE FACILITY
INSPECTION REPORT**

REASON		GRADE O RATING A	Inspection Date:		ESTABLISHMENT NAME:	
Regular	✓		10/23/2018		"GUAM LEADERSHIP ACADEMY"	
Follow-Up			Time In/Out:		OWNER/OPERATOR:	
Complaint			11:00am 11:45am		SINGLETON, JOSHUA	
Investigation			Sanitary Permit No.:		LOCATION:	Establishment Type:
Other:		20000-180001851		MANGILAO	CCC/NURSERY	
			PERMIT STATUS: <input checked="" type="checkbox"/> Valid <input type="checkbox"/> Temporary <input type="checkbox"/> Expired			
No. of Children: 26 Male 21 Female 47 Total			Child Care License: No.: <input checked="" type="checkbox"/> Valid <input type="checkbox"/> / / Provisional <input type="checkbox"/> / / Expired			

The following items identify violations found this day in the operations and facilities which must be corrected by the next inspection or sooner as the Department indicates. Non-compliance may result in downgrading or permit suspension. To appeal a written request for hearing must be submitted before the indicated correction date.

[illegible]

I have read and understand the above violation(s) and I am aware of the corrective measures to be taken.

***Note: When any of the following items are cited above, they shall be corrected within 10 days of this inspection:**

Received By (Name & Title):
Rosa Beatrice Brillantes Director RB

DEH Inspector (Name & Title):
VENER RAYMUNDO, EPto I 300-9570